EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2596	(@ay<="2002" OR @rlad="20020703") AND process$3 WITH (sample OR symbol) WITH buffer AND (receiv$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:56
L3	1273	(@ay<="2002" OR @rlad="20020703") AND process$3 WITH (sample OR symbol) WITH buffer SAME (receiv$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:57
L4	195	(@ay<="2002" OR @rlad="20020703") AND process$3 WITH (sample OR symbol) WITH buffer SAME (during OR while OR simultaneous$2) WITH (receiv $3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 10:57
S1	100	(("20040004995") or ("20030189988") or ("20010018719") or ("20050207519") or ("5548108") or ("4310840") or ("20040141573") or ("4710923") or ("5146473") or ("5790592") or ("5544140") or ("6088385") or ("5673291") or ("6542452") or ("5694434") or ("6618431") or ("6236283") or ("7092438") or ("20030143951") or ("20010047434") or ("20050124330") or ("20030138040") or ("7039000") or ("20030179737") or ("20030112743") or ("20050207483") or ("20050219213") or ("20070121748") or ("20050281281") or ("5745792") or ("4005423") or ("6108720") or ("4364397") or ("6167133") or ("5138440") or ("6209041") or ("6404357") or ("6284963") or ("20020031099") or ("6460161") or ("20040071199") or ("6490676") or ("20060008180") or	US-PGPUB; USPAT	OR	OFF	2008/03/12 12:37

("6650694") or
("20070083685") or
("6701341") or ("6122703") or
("6791556") or ("6401162") or
("6834074") or ("6530059") or
("7139707") or ("6580771") or
("20010023634") or
("6624767") or
("20020176489") or
("6912244") or
("20030043159") or
("6985516") or
("20040047405") or
("7010016") or ("7002934") or
("7167531") or ("5222101") or
("7190749") or ("4706263") or
("20060215777") or
("4707841") or
("20070025424") or
("5311545") or
("20070040704") or
("5394437") or
("20070111664") or
("5539730") or ("5497153") or
("5550869") or ("5714950") or
("5625828") or ("6084883") or
("5666378") or ("5020080") or
("5878088") or ("5418778") or
("5930296") or ("5892980") or
("6075814") or ("6032033") or
("6122246") or ("6425091") or
("6128357") or ("6621876") or
("6317473") or ("6704324") or
("6369857") or ("6724851") or
("6393049") or
("20020122467") or
("6502138") or ("6507602") or
("6563861")).PN.

S2	97	710/52.ccls. AND (@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 signal) AND (plurality NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:37
S3	15	(@ay<="2002" OR @rlad<="20020703") AND (sample AND symbol) SAME (three WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:37
S4	51	(@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) SAME ("ping pong" NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:37

S5	246	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (three OR five) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:37
S6	508	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (first AND second) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:37
S7	92	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (first AND second AND third) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:37
S8	31	(@ay<="2002" OR @rlad<="20020703") AND process$3 WITH (sample OR symbol) SAME (first AND second) WITH buffer AND (receiv$3 WITH third WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:37
S9	79	(@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) SAME fifth NEAR5 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:37
S10	6	(@ay<="2002" OR @rlad<="20020703") AND (triple OR quintuple) WITH buffer AND multi$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:57
S11	59	(@ay<="2002" OR @rlad<="20020703") AND (five OR quintuple) WITH buffer AND (sample OR symbol) AND multi$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:57
S12	95	(@ay<="2002" OR @rlad<="20020703") AND overflow WITH buffer AND (sample OR symbol) AND multi $path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:57
S13	62	(@ay<="2002" OR @rlad<="20020703") AND three WITH overflow NEAR5 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:57

S14	8	(@ay<="2002" OR @rlad<="20020703") AND three WITH "overflow buffer"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:57
S15	84	(@ay<="2002" OR @rlad<="20020703") AND scalable NEAR3 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:57
S16	70	(@ay<="2002" OR @rlad<="20020703") AND circular NEAR3 buffer WITH (five OR quintuple) AND (sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:58
S17	174	(@ay<="2002" OR @rlad<="20020703") AND plurality NEAR5 buffer AND ((turn$3 ADJ off) OR shut $down OR disabl$3 OR stop $4) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:58
S18	56	(@ay<="2002" OR @rlad<="20020703") AND process$3 WITH buffer SAME ((turn$3 ADJ off) OR shut $down OR disabl$3 OR stop $4) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:58
S19	6	(("6795489") or ("6853839") or ("6985516") or ("20020176489") or ("20040165567") or ("6714527")).PN.	US-PGPUB; USPAT	OR	OFF	2008/03/12 12:58
S20	700	(@ay<="2002" OR @rlad<="20020703") AND buffer NEAR5 ((turn$3 ADJ off) OR (shut$3 ADJ down) OR disabl$3) WITH power	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:58
S21	1976	(@ay<="2002" OR @rlad<="20020703") AND ((turn$3 ADJ off) OR shut $down OR disable) WITH receiver WITH power	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 12:58
S22	2	(("6650140") or ("6615307")). PN.	US-PGPUB; USPAT	OR	OFF	2008/03/12 12:58

3/14/2008 2:01:44 PM
C:\Documents and Settings\hyu\My Documents\EAST\Workspaces\10613897_CDMA_Buffer_A. wsp